

MARINE COURAGE

OCEANSAFE LIMITED

Add: Unit 1, Blk S107, Road 7, Lekki Gardens II, Lekki, Lagos State

Office Tel: +234 701 088 1306

Mob: +234-8038840226

Email: oceansafe@oceansafe.com.ng

Web: www.oceansafe.com.ng

New Generation - Fast Crew Boat/ Utility Vessel, Offshore Security Vessel with ballistic protection/Gun mounting/Davit/Fifi



MARINE COURAGE

VESSEL OVERVIEW	
Vessel:	34-metre Aluminium Fast Support Vessel
	Designed and Built by NGV Tech Sdn Bhd
IMO Number:	9562740
MMSI No:	657306600
Classification	RINA A1 + A2 sailing areas
Safety Regulation:	RINA and Flag State Requirements
Regs, Codes, Guidelines:	MARPOL, SOLAS, IMDG
Call Sign	5N2453

Can Gigit	0112700
HULL PARTICULARS	
Length Overall:	34.00 m
Breadth Moulded:	7.85 m
Depth Moulded:	3.3 m
Design Draft :	1.5 m
Year of Builty:	2010
CARGO DECK	

 Clear Deck Area:
 65.1 sqm

 Deck Cargo Capacity:
 15 MT

 Deck Strength:
 2.5 MT / sqm

 Deck Dimensions:
 12 m x 5.43 m

 Cargo Railling Height:
 1.0 m

 Deck Davit Crane:
 SHIMBA with model no. WUDN-100 for 0.5Ton

Remarks:

Adequate cargo retainers and lashing lugs
on both sides for securing deck cargo

 TONNAGE
 226

 GRT:
 226

 NRT:
 67

 DWT:
 44

DWT: 44

MAIN MACHINERY

Number of Main Engines: 3 units with resilient mountings
Make and Type: Caterpillar Diesel Engines C32 ACERT

Total BHP: 3 x 1,450 BHP @ 2300 rpm
Propellers: 3 x fixed pitch, nickel alum bronze, 5 blades
Bow Thruster: 1 X 1 Ton Thrust, Electric Driven
CCTV System for Engine Room and 360 deg view: 8 channels Fitted

PERFORMANCE

Maximum Speed: 24 knots @ 100% MCR @ 35.0 MT DWT
Maximum Fuel Consumption: 375 L/hr
Economical Speed: 16 to 20 knots @ 85% MCR @ 32.0 MT DWT
Economical Fuel Consumption: 270 L/hr

GENERATING SETS (AUXILIARIES)

Alternator rated at 85 kW @ 1500 RPM
Make / Type: STAMFORD / UCM274E1
Fuel Oil Flow Meters: Alternator
Generators: 2 x Cummins 6CT8.3M
Vessel Power Supply: 415/220 Volt AC, 50Hz, 3ph + 24 Volt DC
Shore Connection / Food Container Socket: Fitted

LIFE SAVING (SOLAS) EQUIPMENT

LIFE SAVING (SOLAS) EQUIPMENT

Life Rafts: 3 x 25-man each side, SOLAS

Life Jackets: 90

Life Buoys: 8 on board as per SOLAS

Rescue Zone: Yes Port and Starboard

Scrambling Nets: 2 units

Other Equipment: Pyrotechnics, line-throwing apparatus

ACCOMMODATION AND STORAGE

52 reclinable seats for passengers Passenger Seating Capacity: Hospital / Cabins / Total Bunks: 2 / 8 for for Security Personnel Deck Toilets / Showers: 2 cubicles for passengers 2 cubicles for security personnel Crew Cabins / Total Bunks: 4 / 8 for crew Crew Toilets / Showers: 3 cubicle for crew Entertainment System: 2 units of LCD TV Screens Main Deck Office Fitted Machine Gun Mounts (forward and aft): Fitted Crew Mess: Fitted Walk-In Freezer: Fitted Walk-In Chiller: Fitted Dry Stores (main deck and crew deck): Fitted Public Address System: Fitted

ELECTRONICS AND CONTROLS

Fitted VHF DSC: Fitted SSB Radio (Non-GMDSS): Fitted Satellite Telephone / Fax: Starlink Marine Radar: X Bank Rader GPS: Fitted Depth / Echo Sounder: Fitted Gyro Compass: Fitted Magnetic Compass: Fitted Navtex: Fitted Gyro repeater Fitted Search Lights: Fitted EPIRB: McMurdo E5 SART: McMurdo S4 Fitted CCTV System 8 channels Fitted

TANK CAPACITIES

 Fuel Oil:
 53

 Fresh Water:
 14

OIL POLLUTION TANK CAPACITY AND CONTROL

Dirty Oil Tank: 0.8 cbm
Dispersant: 0.2 cbm
IMO-Approved Sewage Treatment Plant: Fitted
IMO-Approved Oily Water Separator: 15 ppm alarm

SECURITY FEATURES & OTHERS

Gunner shields
Ballistic Protection
Night Vision/Thermal Ima

Night Vision/Thermal Imagaing Cameras Binoculars with night vision capability

Standard Email facilities

CCTV System

Vessel endurance capability 28 days Security Control room for Client Security rep

EMERGENCY RESPONSE FEATURES

Ext FIFI (0) equipment with 2 numbers 150 m3/hr fire monitors each at port and starboar side aft deck Motorised workboat and davit


The details on this specification sheet are produced in good faith but not guaranteed.

MARINE COURAGE PHOTO GALLERY





















PRINCIPAL DIMENSIONS

LENGTH O.A. (Hull)	34.00	M
LENGTH W.L.	31.67	M
BREADTH MLD	7.85	M
DEPTH MLD -	3.30	М
DRAFT (Midship)	1.50	M

COMPLEMENT ______ 10 CREW 60 PERSONNEL

